

MODEL 6SWF48 THRU 12SWF504

MODEL NUMBER	FILTER MEDIA (SQ. FT.)	QUAN. OF BAGS	BAG LENGTH (IN FT.)	MAT'L OF CONST.	DIMENSIONS (INCHES)								REVERSE AIR FAN H.P.	# OF EXPLOSION VENTS	EST. INSTALLED WT./LBS.	
					A	B	C	D	E	F	G	H				J
6SWF48	348	48	6	12 GA.	60	318 5/16	95 1/4	112	17 11/16	116 11/16	13	18	40 1/8	5 HP	1 *	5095
8SWF48	464		8			368 5/16	119 1/4	138		117 11/16	15	20		5 HP	1 *	5690
10SWF48	581		10			418 5/16	143 1/4	164		118 11/16	17	22		5 HP	2 *	6288
6SWF80	580	80	6	12 GA.	72	333 5/16	95 1/4	115	28 1/16	128 9/16	16	21	48 5/8	5 HP	1	5681
8SWF80	774		8			384 5/16	119 1/4	142		130 1/16	18	24		5 HP	1	6391
10SWF80	968		10			435 5/16	143 1/4	169		131 9/16	20	27		5 HP	1	7105
8SWF112	1084	112	8	10 GA.	84	400 5/16	119 1/4	146	38 1/2	142 1/2	21	28	57 1/16	5 HP	1	7943
10SWF112	1355		10			451 5/16	143 1/4	173		144	23	31		7.5 HP	2	8897
12SWF112	1626		12			478 5/16	143 1/4	200		145 1/2	26	34		7.5 HP	2	9600
8SWF152	1471	152	8	10 GA.	96	415 5/16	119 1/4	149	48 7/8	154 3/8	23	31	65 9/16	7.5 HP	2	9092
10SWF152	1839		10			466 5/16	143 1/4	176		155 7/8	26	34		7.5 HP	2	10234
12SWF152	2207		12			494 5/16	143 1/4	204		157 7/8	28	38		10 HP	2	11051
8SWF200	1936	200	8	10 GA.	108	431 5/16	119 1/4	153	59 1/4	166 3/4	27	35	72 9/16	7.5 HP	2	11036
10SWF200	2420		10			483 5/16	143 1/4	181		168 3/4	30	39		10 HP	2	12120
12SWF200	2904		12			512 5/16	143 1/4	210		171 1/4	32	44		10 HP	3	13095
8SWF256	2478	256	8	10 GA.	120	448 5/16	119 1/4	158	69 11/16	179 11/16	30	40	81 1/16	7.5 HP	3	12350
10SWF256	3097		10			500 5/16	143 1/4	186		181 11/16	34	44		10 HP	3	13780
12SWF256	3717		12			529 5/16	143 1/4	215		184 3/16	36	49		15 HP	3	14856
8SWF312	3020	312	8	10 GA.	132	463 5/16	119 1/4	161	80 1/16	191 9/16	33	43	89 9/16	10 HP	3	13908
10SWF312	3775		10			516 5/16	143 1/4	190		194 1/16	37	48		10 HP	4	15487
12SWF312	4530		12			545 5/16	143 1/4	219		196 9/16	40	53		15 HP	4	16727
8SWF368	3562	368	8	10 GA.	144	479 5/16	119 1/4	165	90 7/16	203 15/16	36	47	98 1/16	10 HP	4	15437
10SWF368	4452		10			533 5/16	143 1/4	195		206 15/16	40	53		15 HP	4	17200
12SWF368	5343		12			562 5/16	143 1/4	224		209 7/16	43	58		15 HP	5	18572
8SWF432	4182	432	8	3/16" P	156	495 5/16	119 1/4	169	100 13/16	216 5/16	38	51	106 7/16	10 HP	5	19826
10SWF432	5227		10			549 5/16	143 1/4	199		219 5/16	43	57		15 HP	5	22114
12SWF432	6273		12			576 5/16	143 1/4	226		220 13/16	48	60		20 HP	6	23935
8SWF504	4879	504	8	3/16" P	168	511 5/16	119 1/4	173	111 1/4	228 3/4	42	55	114 15/16	15 HP	5	21858
10SWF504	6098		10			566 5/16	143 1/4	204		232 1/4	46	62		20 HP	6	24450
12SWF504	7318		12			596 5/16	143 1/4	234		235 1/4	51	68		20 HP	7	26405


* 24" SQUARE EXPLOSION VENT(S) ON SWF48 MODELS

STANDARD FEATURES

1. ALL WELDED HEAVY-DUTY CONSTRUCTION
2. PRESSURE/VACUUM RATING: +/-20"W.C.
3. STANDARD MATERIALS OF CONSTRUCTION: CARBON STEEL, STAINLESS STEEL, ALUMINUM
4. PAINT IS STANDARD WHITE OR ENVIROGREEN INDUSTRIAL ENAMEL
5. STANDARD NUMBER OF EXPLOSION VENTS PROVIDE A 65 : 1 VENT RATIO
6. 1/2 HP MOTOR ROTATES INTERNAL CLEANING MECHANISM

OPTIONAL FEATURES

1. INTERMEDIATE SERVICE PLATFORMS
2. EXPLOSION VENTING / RATIOS
3. EXPLOSION-PROOF ELECTRICALS
4. HIGHER PRESSURE/VACUUM RATING
5. BIN VENT STYLE
6. WIDE BAG SPACING



REV	DRAWING STATUS	BY	DATE
9732 PFLUMM, LENEXA, KS 66215 PHONE: 913-831-0740 FAX: 913-831-9271			
This drawing and the solutions/designs are the property of CAMCORP, Inc. and are furnished only for informational purposes on a confidential basis. Reproduction, publishing, or other disclosures are on a "NEED TO KNOW" basis only. Any other reproduction requires written authorization by a corporate officer.			
TITLE: REVERSE AIR DUST COLLECTOR WITH TANGENTIAL INLET			
DATE:	DRAWN:	DRAWING NUMBER:	REVISION:
01/17/06	DB	SWF-TANG	